

CAROLINA[®] SKIFF

ANYTHING IS POSSIBLE.™



CATCH THE SKIFF

GO ANYWHERE. DO ANYTHING.

FROM ALASKA TO THE FLORIDA KEYS, THE ATLANTIC TO THE PACIFIC, FOUR INCHES OF WATER TO 4,000 FEET, CAROLINA SKIFF BOATS ARE AT HOME EVERYWHERE.


Boating enthusiasts know Carolina Skiffs are the most durable, versatile, stable and economical boats on the planet. But we're not resting on our reputation. We continually make improvements and upgrades, from new components to all-new models. From fit to finish our boats provide the most features and best functionality available. Whether you're looking for a pleasure boat, fishing boat, runabout, or commercial/work boat, Carolina Skiff delivers the most for your money.

We offer such a broad selection of models because we know you want to keep your boating options open. Our full product line can accommodate all your recreational and commercial needs. Building with the highest quality materials and designing boats for styling and performance, there is no wonder why Carolina Skiff remains one of the top selling boats in America. With the original Carolina Skiff, anything is possible!

- 100% Composite Construction (No ROT)
- Solid Durable, Non Flexing Hull
- Extreme Shallow Draft
- Patented Box Beam Construction
- Exceeds USCG Flotation requirements
- Virtually UNSINKABLE



All Carolina Skiff boats are NMMA certified using the ABYC standards and adhering to the highest quality standards in the US Marine Industry.



FF ADVANTAGE.



CONTENTS

PAGE

Intro	1
ULTRA Construction	2 - 3
ULTRA-Series	6 - 11
Construction	12 - 13
DLV-Series	14 - 19
DLX-Series	20 - 29
JVX-Series	30 - 37
JV-Series	38 - 41
J-Series	42
Tunnel Series	43
Kit Boats (Build it Yourself)	44
Warranty Info	44

Back inside Cover


CAROLINA® SKIFF



100% Composite Material

The Carolina Skiff **Ultra-Series** construction begins with prepping and waxing the mold, then a high gloss premium gel coat is sprayed into the mold for the base color. If there is an optional stripe color, the hull is marked and taped on the style line for spraying the optional gel coat color.

A layer of fiberglass and resin is then sprayed into the mold on the gel coat and then rolled to eliminate air pockets and create a solid bond with the gel coat.



The key component of the Carolina Skiff **Ultra-Series** is the full fiberglass stringer system. Only 100% composite material is used, which means no wood equals no rot.

The stringers are formed from a high density foam and cut to shape using a C&C machine. Then the stringers are placed into the hull and fiberglass applied to the stringers and hull for a solid rigid bond.



The **Ultra-Series** is hand laminated using a combination of woven/roven and tri directional fiberglass that allows for a rigid hull and deck.

Each process of building is carefully inspected to ensure overall quality of each **Ultra-Series**.

The deck and hull are bonded together using a fiberglass and resin mixture, effectively forming a solid singular unit.



Quality, Versatility & Performance!



Fishing, Family and Fun!

It's the apex of quality, versatility and performance.

The **Ultra-Series** by Carolina Skiff, is three boats in one! Equally at home, inshore on your local lake or large river, in the bays along the coastline, fishing the tidal creeks and offshore exploring. Either way, you can go out with the family and enjoy a day on the water or you can stow away all the cushion seats and fish hardcore with friends. However you plan to spend your time boating, the **Ultra-Series** can handle most all conditions. With every convenience imaginable at your fingertips, from the step in console with porta potti, rod storage, plentiful lock-able storage and U-shape bow seating with drop in oval table - the **Ultra-Series** can go any where and do anything, ...one boat for different needs...anything is possible.



Ultra Series

Configure your Ultra Series model online at www.carolinaskiff.com/builder. Get a fast and free quote for the Carolina Skiff model that's perfect for you. Locate a Dealer near you, or read the experiences of other Carolina Skiff owners. All of this and more at www.carolinaskiff.com.



Ultra 19 • Ultra 21 • Ultra 23




 **SUZUKI.**
MARINE

Photo: 23 Ultra powered by: Suzuki F225



19 ULTRA




Front Deck w/Lock-able starboard lids, anchor locker and side steps *optional trolling motor plug



Rear Deck w/ Jump Seats
*cushion jump seats



Cock pit seating /Stainless Steel Cooler Frame
*adjustable backrest/ removable 70qrt cooler



Console w/locking door
*large area for flush mount electronics: up to 10" screen




Lighted storage box under jump seats
*LED lighted, insulated storage box



Combing Board Rod Storage
Port and Starboard combing board



Standard Features & Options



SPECIFICATIONS 19' ULTRA

LOA	19' ft
BEAM	97" in
GUNNEL HEIGHT	28" in
BOAT WEIGHT	2100 Lbs
FUEL CAPACITY	30 Gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	7" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	2200 Lbs
MAXIMUM PERSON	10 or 1410 Lbs
MAXIMUM HP	150 HP

BOW

Front Deck w/marine board lids & recessed steps
 (1) Stainless Steel Bow Eye
 (1) Stainless Steel Flush Mount Lifting Eye
 LED Nav Lights
 Anchor Locker w/Marine Board Lid
 Insulated Dry Storage box with overboard drain
 (2) SS Gas Shocks
 Recessed front deck steps

Console

Standard Console w/Lockable door
 Console cushion set with lockable access hatch under seat
 SS Console Grab Rail
 Quick Disconnect windshield
 Full instrumentation Panel and 12v accessory plug
 Toggle switches with breakers
 Remote Steering System w/Extreme control cables
 SS Steering Wheel w/Tilt Helm
 Horn with SS cover
 (6) flush mounted rod holders

GUNNELS

(4) 6" SS Flush Mount Pull Up Cleats
 8.5" Wide Gunnels non skid
 Combing Board Rod Storage w/ LED lights
 Deluxe rub rail w/Stainless Steel insert & SS end caps

COCKPIT SEATING

SS Cooler frame w/DLX Upholstery
 Locking adjustable back rest
 70 QT removable cooler
 Cargo net

TRANSOM

Rear deck w/(2) fold down jump seats
 (2) SS cup holders (2) 13X24 hatches under jump seats
 Rear Insulated fish/storage box w/LED Light
 Rear Battery Storage w/LED Light/lockable marine board
 20 Gallon Bait well /lockable marine board/lock/LED Light
 (2) SS Stern Eyes
 1250 Gallon Bilge Pump/ 750 Gallon Aerator
 Fuel/Water Separator
 30 Gallon fuel belly tank.
 Composite high speed pick up
 (4) Interior floor courtesy lights at bow and stern
 Over the transom SS motor mounting cap
 Large Bilge area with LED lighting
 Swim Platform

OPTIONS

Stainless Steel Bow Rail Set
 Stainless Steel Transom Rail Set
 Maxi Flow Recirculating System
 Raw Water Wash Down
 Console Bait Well w/LED lighting
 Brass High Speed Pick-up
 Power Grip Steering Wheel
 Hydraulic Steering w/Tilt Helm
 Ultra Flip-up Console with Changing curtain/porta potti
 Deluxe Leaning Post w/tackle center
 AM/FM Radio w/Bluetooth/AUX Plug/USB
 Stainless Steel Rod Holders for Gunnels
 Fiberglass Leaning post w/sink & 32 gallon bait well



*Draft: Static Float/Boat Only



BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Small Stripe • Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla



21 ULTRA




Front Deck w/U-shape removable cushion seating
*insulated locking storage/box



Rear Deck w/ Jump Seats
*cushion jump seats



Cock pit seating /Stainless Steel Cooler Frame
*adjustable backrest/ removable 70qrt cooler



Console w/locking door
*large area for flush mount electronics: up to 10" screen
*Tilt Steering Wheel




Rear lighted storage under jumps seats.
*insulated rear storage box w/LED lights



Optional Ultra Flip-up Console w/changing curtain
*porta-potty

Standard Features & Options



<u>SPECIFICATIONS</u>	<u>21 ULTRA</u>
LOA	20' ft 11" in
BEAM	97" in
GUNNEL HEIGHT	28" in
BOAT WEIGHT	2500 Lbs
FUEL CAPACITY	52 Gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	7" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	2700 Lbs
MAXIMUM PERSON	14 or 1974 Lbs
MAXIMUM HP	200 HP

BOW

- (1) Stainless Steel Bow Eye
- (1) Stainless Steel Flush Mount Lifting Eye
- LED Nav Lights
- Anchor Locker w/Marine Board Lid
- U-Shape Bow Seating w/removable cushions
- (3) Flush mount marine board lockable lids
- (2) SS gas shocks
- 12/24 Volt Trolling Motor Panel w/Tilt Switch
- Insulated Dry Storage

Console

- Large area to Flush Mount Electronics
- (3) Console Cup Holders
- 1" Stainless Steel Console Grab rail
- Removable Windshield
- Marine Horn
- Binnacle Controls & Wiring Harness
- 13" SS Steering Wheel w/Mechanical Tilt Helm
- Full Instrumentation Panel
- (6) Flush Mount Console Rod Holder
- Locking Console Door w/LED Light
- Console Cushion Seat
- Console Seat SS Hand Rail

GUNNELS

- (4) 6" SS Flush Mount Pull Up Cleats
- 8.5" Wide Gunnel non skid
- Combing Board Rod Storage w/ LED lights
- Deluxe rub rail w/Stainless Steel insert & SS end caps

COCKPIT SEATING

- SS Cooler frame w/DLX Upholstery
- Fold down foot rest
- Locking adjustable back rest
- 100 QT removable cooler
- Cargo net

TRANSOM

- Rear deck w/(2) fold down jump seats
- (2) SS cup holders (2) 13X24 hatches under jump seats
- Rear Insulated fish/storage box w/LED Light
- Rear Battery Storage w/LED Light/lockable marine board
- 20 Gallon Bait well /lockable marine board/lock/LED Light
- (2) SS Stern Eyes
- 1250 Gallon Bilge Pump/ 750 Gallon Aerator
- Fuel/Water Separator
- Composite high speed pick up
- Over the transom SS motor mounting cap
- Large Bilge area with LED lighting
- Swim Platform

OPTIONS

- Stainless Steel Bow Rail Set
- Stainless Steel Transom Rail Set
- Maxi Flow Recirculating System
- Raw Water Wash Down
- Console Bait Well
- Brass High Speed Pick-up
- Power Grip Steering Wheel
- Hydraulic Steering w/Tilt Helm
- Ultra Flip-up Console with Changing curtain/porta potti
- Deluxe Leaning Post w/tackle center
- AM/FM Radio w/Bluetooth/AUX Plug/USB
- Stainless Steel Rod Holders for Gunnel
- Fiberglass Leaning post w/sink & 32 gallon bait well



*Draft: Static Float/Boat Only

BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Small Stripe • Full Side • Full Hull


Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla



23 ULTRA



Front Deck w/U-shape removable cushion seating
*insulated locking storage/ removable oval table



Rear Deck w/ fold away cushion bench seat
*3 tray tackle station/ 20 gallon bait well/ sink w/faucet



Walk-in console
*large dash area for flush mount electronics



Walk-in console w/porta potti




LED Nav. Lights, docking lights, courtesy lights and LED compartment lights



Combing board rod storage w/LED lighting

Standard Features & Options



<u>SPECIFICATIONS</u>	<u>23 ULTRA</u>
LOA	22' ft 11" in
BEAM	100" in
GUNNEL HEIGHT	28" in
BOAT WEIGHT	2800 Lbs
FUEL CAPACITY	85 Gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	7" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	2700 Lbs
MAXIMUM PERSON	17 or 2397 Lbs
MAXIMUM HP	250 HP

BOW

- (1) Stainless Steel Bow Eye
- (1) Stainless Steel Flush Mount Lifting Eye
- Anchor Locker w/marine board lid
- Front Insulated dry storage w/LED lights
- Stainless Steel Bow railing around seating
- 3 Piece Removable Deluxe upholstery
- Removable Oval Bow Table/stows in console

Walk-In Console

- Step Down w/porta potti
- Quick disconnect windshield
- Stainless Steel console grab rail
- Hydraulic Steering w/Tilt helm
- 13" Stainless Steel steering wheel
- Matching outboard gauge package
- Fire Extinguisher
- Large dash for flush mounted electronics
- (2) Stainless Steel cup holders
- Console port window

GUNNELS

- (4) 6" SS Flush Mount Pull Up Cleats
- Deluxe rub rail w/Stainless Steel insert & caps
- Combing board rod storage w/LED Lights
- 16 Rod holder capacity

COCKPIT SEATING

- Ultra Leaning Post w/fold down backrest
- (2) Stainless Steel cup holders
- (4) Flush Mount stainless steel rod holder
- 100 qt. Removable cooler
- Cargo Net

TRANSOM

- Rear fold away bench seat
- Sink w/faucet
- 3 Tray Tackle station
- Insulated 20 gallon bait well
- LED Lighting
- 1250 GPH bilge pump
- 750 GPH aerator
- Fuel/Water separator
- Battery Storage w/tray
- Stainless Steel electric trim tabs
- (2) Stainless Steel Stern Eyes
- Swim Platform

OPTIONS

- 70 qt. Padded Front cooler seat
- Electric flush-able Head w/9 gallon tank
- 9 gallon fresh water tank w/shower nozzle
- Deluxe Leaning Post w/backrest/tackle center
- Fiberglass leaning post w/32 gallon bait well
- Maxi Flow recirculating system
- Brass high speed pick-up
- 12/24V Trolling motor panel w/trim&tilt
- AM/FM Radio w/Bluetooth/AUX Plug/USB port
- Stainless Steel rod holders for gunnel



*Draft: Static Float/Boat Only


BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Small Stripe • Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla



Patented Closed Cell Foam Beam Construction




The patented foam-beam construction process is used in our **DLX-Series**, **DLV-Series**, **JVX-Series**, **JV-Series** and **J-Series** with USCG approved closed cell foam flotation. The foam is pre-casted, cut and shaped into multiple foam beams with precision to fit each individual boat hull.

Prepping the boat mold starts with cleaning. A release agent is applied to the mold, followed by a high-gloss exterior gel coat. After, a layer of fiberglass and resin is applied and rolled to create a solid bond with the gel coat.

Each closed cell foam beam is then hand laid one at a time with a layer of fiberglass and resin between each beam creating the patented Carolina Skiff stringer system. This process allows for a solid, durable, non-flexing wood free hull.

Layers of tri-directional fiberglass matting are hand laid thru-out the interior creating the deck, gunnel walls and rolled gunnel edge. Each layer is rolled to bond together and eliminate any air between the layers. After the key stress areas of the hull are reinforced with extra layers of tri-directional fiberglass, the hull is allowed to cure before being released from the mold.



DURABLE, STABLE & VIRTUALLY UNSINKABLE

DURABLE

Each Carolina Skiff model has a solid and rigid hull design for durability. A truck with a front-end weight of 13,000 lbs; is supported by a 21ft Carolina Skiff hull without any signs of structural stress and less than 1/4" inch deflection.



STABLE

The Carolina Skiff hulls have a wide surface area on the water, combined with a vast amount of flotation. This allows for a very stable fishing and working platform on the water. The strength to weight ratios in the Carolina Skiff is unparalleled, carrying more weight further and faster with less horsepower.



VIRTUALLY UNSINKABLE

Cut into three pieces, the Carolina Skiff can still float. The USCG-closed cell foam flotation has a positive buoyancy that gives the Carolina Skiff the Virtually Unsinkable ability.



DLV-Series

The unique hull design of the **DLV Series** appeals to both the shallow water angler and the enthusiast who like to venture into deeper waters. The modified Tri-V hull design allows for a smooth, outstanding performance and dry ride. Delivering peace of mind on the water and giving you more boat for less.

Quality stainless steel components, plentiful storage space, wide open deck space, large front and rear fishing decks, rear cushion jump seats, console with an open face for mounting up to a 10" flush mount electronic screen and 3 stainless steel cup holders, stainless steel cooler seat frame with adjusting flip flop back rest and your choice of a bimini top or T-top, give you a great boat for anything from a family excursion to a day of fishing.



178DLV • 198DLV • 218DLV • 238DLV • 258DLV




NMMA
CERTIFIED
meeting ABYC standards

 **SUZUKI**
MARINE


Photo: 218DLV powered by: Suzuki F115

Carolina Skiff LLC reserves the right to discontinue or change product without notice. Some product accessories seen in photos may not be offered by Carolina Skiff LLC.



DLV-Series • Key Features

Configure your DLV model online at www.carolinaskiff.com/builder. Get a fast and free quote for the Carolina Skiff model that's perfect for you. Locate a Dealer near you, or read the experiences of other Carolina Skiff owners. All of this and more at www.carolinaskiff.com.



Front Deck w/anchor locker & locking storage lids
*anchor locker not available on 178DLV & 198DLV



Rear Deck w/center bait well & jump seats
*center bait well not available on 178DLV



Cock pit seating /Stainless Steel Cooler Frame
*adjustable backrest/ removable 70qrt cooler



Console w/cup holders & rod holders
*large area for flush mount electronics: up to 10" screen




Cooler Frame Cargo NET
Net placement keeps cooler secure with an added area of storage for extra items.



DLV- Running Surface
*designed for outstanding performance, giving you a smoother and dryer ride and the great fuel efficiency.

DLV-Specifications, Features & Options

Model: 178DLV



Short Front Deck w/non skid

Lock-able storage lids
Anchor Locker

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/Cushion Jump Seats

18 gallon live well
lock-able storage lids
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform


Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
bow cushion set (removable)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (composite or Stainless)

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
bimini

Model: 198DLV



Short Front Deck w/non skid

Lock-able storage lids
Anchor locker

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/Cushion Jump Seats

18 gallon center bait well
lock-able storage lids
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform

Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
bow cushion set (removable)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
flip up console w/changing curtain & potti
smart tabs (composite or Stainless)

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
bimini

SPECIFICATIONS 178 DLV

LOA	17' ft
BEAM	96" in
GUNNEL HEIGHT	26" in
BOAT WEIGHT	1553 Lbs
FUEL CAPACITY	20 Gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	6" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	1800 Lbs
MAXIMUM PERSON	9 or 1269 Lbs
MAXIMUM HP	90 HP

SPECIFICATIONS 198 DLV

LOA	19' ft
BEAM	96" in
GUNNEL HEIGHT	26" in
BOAT WEIGHT	1660 Lbs
FUEL CAPACITY	20 Gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	6" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	2200 Lbs
MAXIMUM PERSON	10 or 1410 Lbs
MAXIMUM HP	115 HP

*Draft: Static Float/Boat Only


BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Small Stripe • Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla

DLV-Specifications, Features & Options

Model: 218DLV



Front Deck w/non skid

lock-able storage lids
anchor locker

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/Cushion Jump Seats

center 18 gallon center bait well
lock-able storage lids
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
1250 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform


Upgrade Options

power grip SS steering wheel
6' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
bow cushion set (removable)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
flip up console w/changing curtain & potti
smart tabs (composite or Stainless)
oil tank 2 stroke 115HP and above

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
bimini

Model: 238DLV



Front Deck w/non skid

lock-able storage lids
anchor locker

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/Cushion Jump Seats

center 18 gallon center bait well
lock-able storage lids
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
1250 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform

Upgrade Options

power grip SS steering wheel
8' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
bow cushion set (removable)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
flip up console w/changing curtain & potti
smart tabs (composite or Stainless)
oil tank 2 stroke 115HP and above
fiberglass leaning post w/32 gallon bait well

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
bimini

SPECIFICATIONS **218 DLV**

LOA	20' ft 10" in
BEAM	96" in
GUNNEL HEIGHT	26" in
BOAT WEIGHT	1773 Lbs
FUEL CAPACITY	30 Gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	6" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	2700 Lbs
MAXIMUM PERSON	14 or 1974 Lbs
MAXIMUM HP	150 HP

SPECIFICATIONS **238 DLV**

LOA	22' ft 10" in
BEAM	96" in
GUNNEL HEIGHT	26" in
BOAT WEIGHT	1916 Lbs
FUEL CAPACITY	30 Gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	6" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	3200 Lbs
MAXIMUM PERSON	16 or 2256 Lbs
MAXIMUM HP	175 HP

*Draft: Static Float/Boat Only

BASE HULL COLOR: FRENCH VANILLA


HULL STRIPE COLOR OPTION: Small Stripe • Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolana Blue	Evening Sky	Sea Foam	French Vanilla



DLV-Specifications, Features & Options

Model: 258DLV



SPECIFICATIONS 258 DLV

LOA	24' ft 10" in
BEAM	96" in
GUNNEL HEIGHT	26" in
BOAT WEIGHT	1773 Lbs
FUEL CAPACITY	30 Gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	6" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	4000 Lbs
MAXIMUM PERSON	18 or 2538 Lbs
MAXIMUM HP	200 HP

Front Deck w/non skid

lock-able storage lids
anchor locker

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/Cushion Jump Seats

center 18 gallon center bait well
lock-able storage lids
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
1250 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform

Upgrade Options

power grip SS steering wheel
8' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
bow cushion set (removable)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
flip up console w/changing curtain & potti
smart tabs (composite or Stainless)
oil tank 2 stroke 115HP and above
fiberglass leaning post w/32 gallon bait well

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
bimini

*Draft: Static Float/Boat Only

BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Small Stripe • Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla



DLX-Series

The **DLX-Series** flat-bottom skiffs can be used for work or play. The **DLX** can be used for almost anything. From a day of fishing, cruising or commercial boating, to search and rescue, filming or photography. The stable, durable and fuel efficient **DLX** can carry more weight further and faster using less horsepower. You could say the **DLX** is like a pickup truck of the boating world. The **DLX** draws very little water, so getting back into the shallow areas isn't an issue for the **DLX** flat-bottom skiff. The **DLX-Series** is a patented hull design with bow splash guards to help keep you dry from bow over spray. The **DLX** also has positive tracking keels on the running surface, keeping the boat tracking true while maneuvering without the typical flat-bottom slide.



Carolina Skiff LLC reserves the right to discontinue or change product without notice. Some product accessories seen in photos may not be offered by Carolina Skiff LLC.

16DLX • 17DLX • 19DLX
178DLX • 198DLX • 21DLX • 24DLX



NMMA
CERTIFIED ✓
using **ABYC** standards



YAMAHA

Photo: 21DLX powered by: YAMAHA F90



DLX-Series • Key Features

Configure your **DLX-Series** online at www.carolinaskiff.com/builder. Get a fast and free quote for the Carolina Skiff model that's perfect for you. Locate a Dealer near you, or read the experiences of other Carolina Skiff owners. All of this and more at www.carolinaskiff.com.



Front Deck w/Lock-able starboard lids & Side steps.
*optional trolling motor plug panel



Rear Deck w/ lock-able starboard lids
*18 gallon live well, 19 gallon fuel tank w/fuel fill



Cock pit seating /Stainless Steel Cooler Frame
*adjustable backrest/ removable 70qrt cooler



Console w/locking door
*large area for flush mount electronics: up to 10" screen




Patented Bow Splash Guards
*molded in splash guards to help keep you dry. No more bow over spray with splash guards.



Cooler Frame Cargo NET
Net placement keeps cooler secure with an added area of storage for extra items.

DLX-Specifications, Features & Options

Model: 16DLX



Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

12 gallon bait well
lock-able storage hatches

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform
smart tabs SX9510-40


Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (composite or Stainless)

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

Model: 17DLX



Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

18 gallon bait well
lock-able storage hatches
fuel water separator
19 gallon fuel tank w/fuel fill

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform
smart tabs SX9510-40

Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (composite or Stainless)

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

SPECIFICATIONS	16 DLX
LOA	15' ft 10" in.
BEAM	67" in
GUNNEL HEIGHT	16" in
BOAT WEIGHT	897 Lbs
FUEL CAPACITY	optional
TRANSOM SIZE	20" in
*DRAFT (approx)	4" in
<u>USCG MAXIMUM CAPACITY RATING</u>	
MAXIMUM WEIGHT	1195 Lbs
MAXIMUM PERSON	6 or 846 Lbs
MAXIMUM HP	50 HP

SPECIFICATIONS	17 DLX
LOA	16' ft 11" in.
BEAM	76" in
GUNNEL HEIGHT	19" in
BOAT WEIGHT	1125 Lbs
FUEL CAPACITY	19 gallon
TRANSOM SIZE	20" in
*DRAFT (approx)	4" in
<u>USCG MAXIMUM CAPACITY RATING</u>	
MAXIMUM WEIGHT	1515 Lbs
MAXIMUM PERSON	8 or 1128 Lbs
MAXIMUM HP	75 HP

*Draft: Static Float/Boat Only


BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull



DLX-Specifications, Features & Options

Model: 178DLX



Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

18 gallon bait well
lock-able storage hatches
19 gallon fuel tank w/fuel fill
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform
smart tabs SX9510-60


Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (composite or Stainless)

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

Model: 19DLX



Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

18 gallon bait well
lock-able storage hatches
19 gallon fuel tank w/fuel fill
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform
smart tabs SX9510-60

Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (composite or Stainless)

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

SPECIFICATIONS 178 DLX

LOA	17' ft 2" in
BEAM	93" in
GUNNEL HEIGHT	22" in
BOAT WEIGHT	1327 Lbs
FUEL CAPACITY	19 gallon
TRANSOM SIZE	20" or 25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	1800 Lbs
MAXIMUM PERSON	9 or 1269 Lbs
MAXIMUM HP	90 HP

SPECIFICATIONS 19 DLX

LOA	18' ft 11" in
BEAM	77" in
GUNNEL HEIGHT	19" in
BOAT WEIGHT	1197 Lbs
FUEL CAPACITY	19 gallon
TRANSOM SIZE	20" or 25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	1710 Lbs
MAXIMUM PERSON	9 or 1269 Lbs
MAXIMUM HP	90 HP

*Draft: Static Float/Boat Only

BASE HULL COLOR: FRENCH VANILLA


HULL STRIPE COLOR OPTION: Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla



DLX-Specifications, Features & Options

Model: 198DLX



Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

18 gallon bait well
lock-able storage hatches
19 gallon fuel tank w/fuel fill
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform
smart tabs SX9510-60

Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (composite or Stainless)
28 gallon fuel tank
Oil Tank 2 stroke 115HP and above

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

SPECIFICATIONS **198 DLX**

LOA	19' ft
BEAM	93" in
GUNNEL HEIGHT	22" in
BOAT WEIGHT	1533 Lbs
FUEL CAPACITY	19 gallon
TRANSOM SIZE	20" or 25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	1970 Lbs
MAXIMUM PERSON	11 or 1551 Lbs
MAXIMUM HP	115 HP

*Draft: Static Float/Boat Only


BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla

Carolina Skiff LLC reserves the right to discontinue or change product without notice. Some product accessories seen in photos may not be offered by Carolina Skiff LLC.

Model: 21DLX



Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

18 gallon bait well
lock-able storage hatches
19 gallon fuel tank w/fuel fill
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform
smart tabs SX9510-60

Upgrade Options

power grip SS steering wheel
8' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs- stainless steel
28 gallon fuel tank
Oil Tank 2 stroke 115HP and above
hydraulic steering w/tilt helm
flip up console w/changing curtain & potti

SPECIFICATIONS **21 DLX**

LOA	20' ft 10" in.
BEAM	93" in
GUNNEL HEIGHT	22" in
BOAT WEIGHT	1630 Lbs
FUEL CAPACITY	19 gallon
TRANSOM SIZE	20" or 25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING


MAXIMUM WEIGHT	2700 Lbs
MAXIMUM PERSON	16 or 2256 Lbs
MAXIMUM HP	140 HP

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

DLX-Specifications, Features & Options

Model: 24DLX



SPECIFICATIONS 24 DLX

LOA	23' ft 10" in.
BEAM	93" in
GUNNEL HEIGHT	22" in
BOAT WEIGHT	1870 Lbs
FUEL CAPACITY	19 gallon
TRANSOM SIZE	20" or 25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	3000 Lbs
MAXIMUM PERSON	18 or 2538 Lbs
MAXIMUM HP	150 HP

Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

18 gallon bait well
lock-able storage hatches
19 gallon fuel tank w/fuel fill
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform

Upgrade Options

power grip SS steering wheel
8' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
28 gallon fuel tank
Oil Tank 2 stroke 115HP and above
hydraulic steering w/tilt helm
flip up console w/changing curtain & potti

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

*Draft: Static Float/Boat Only

BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla



Carolina Skiff LLC reserves the right to discontinue or change product without notice. Some product accessories seen in photos may not be offered by Carolina Skiff LLC.

DLX-EXTRA WIDE SERIES WORK, FISH or PLAY.



NMMA
CERTIFIED
using ABYC standards



The **DLX Extra Wide Series** is like the pickup truck of boats. With high payload capacity and an extra wide beam, The **DLX-EW** draws very little water while remaining stable in almost any circumstance, carrying more weight further and faster using less horsepower. That's why the **DLX-EW** outshines other work boats; fuel efficiency...carrying more weight with less horsepower. WORK, FISH or PLAY...The **DLX Extra Wide Series**, the pickup truck of boats.

**Some photos show custom built kit boats not offered from Carolina Skiff LLC. See Dealer for Details.*


DLX-Extra Wide Specifications, Features & Options




The Carolina Skiff full product line can accommodate all your recreational and commercial needs. Building with some of the highest quality materials and developing boats for style and performance, there's no wonder why Carolina Skiff LLC remains one of the top selling boats on the water today.



BASE HULL COLOR: FRENCH VANILLA
HULL STRIPE COLOR OPTION: Full Side • Full Hull



Model: 2390 DLX-EW



Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

18 gallon bait well
lock-able storage hatches
31 gallon fuel tank w/fuel fill
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform

Upgrade Options

power grip SS steering wheel
8' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
flip up console w/changing curtain & potti
Oil Tank 2 stroke 115HP and above
hydraulic steering w/tilt helm
molded fiberglass leaning post/32 gal.bait-well

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

SPECIFICATIONS **2390 DLX**

LOA	23' ft 2" in.
BEAM	103" in
GUNNEL HEIGHT	22" in
BOAT WEIGHT	2370 Lbs
FUEL CAPACITY	31 gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	4" in


USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	4000 Lbs
MAXIMUM PERSON	18 or 2538 Lbs
MAXIMUM HP	175 HP

*Draft: Static Float/Boat Only

DLX-Extra Wide Specifications, Features & Options

Model: 2590 DLX-EW



Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

18 gallon bait well
lock-able storage hatches
31 gallon fuel tank w/fuel fill
fuel water separator

More Features


(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform

Upgrade Options
power grip SS steering wheel
8' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
Oil Tank 2 stroke 115HP and above
hydraulic steering w/tilt helm
flip up console w/changing curtain & potti
molded fiberglass leaning post/32 gal.bait-well

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

Model: 2790 DLX-EW



Short Front Deck w/non skid

2- lock-able storage hatches

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

18 gallon bait well
lock-able storage hatches
31 gallon fuel tank w/fuel fill
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform

Upgrade Options
power grip SS steering wheel
8' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
28 gallon fuel tank
Oil Tank 2 stroke 115HP and above
hydraulic steering w/tilt helm
flip up console w/changing curtain & potti
molded fiberglass leaning post/32 gal.bait-well

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

<i>SPECIFICATIONS</i>	<i>2590 DLX</i>
LOA	24' ft 10" in.
BEAM	103" in
GUNNEL HEIGHT	22" in
BOAT WEIGHT	2520 Lbs
FUEL CAPACITY	31 gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	4500 Lbs
MAXIMUM PERSON	20 or 2820 Lbs
MAXIMUM HP	200 HP

<i>SPECIFICATIONS</i>	<i>2790 DLX</i>
LOA	27' ft 1" in.
BEAM	103" in
GUNNEL HEIGHT	22" in
BOAT WEIGHT	2750 Lbs
FUEL CAPACITY	31 gallon
TRANSOM SIZE	25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	5000 Lbs
MAXIMUM PERSON	22 or 3102 Lbs
MAXIMUM HP	225 HP

BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull



JVX-Series

The **JVX Series** is designed and rigged with fishing in mind. With the **JVX**, getting in the shallow creeks and rivers will not be an issue. The light weight hull with the modified V-hull design gives you a boat that will carry more weight further and faster with less horsepower, while delivering outstanding performance.

No matter why you need the **JVX**, we offer a full array of accessories and options, so you can rig the **JVX** to fit your needs. The **JVX** has the patented splash guards to help keep you dry and the positive tracking keels for enhanced maneuvering. From the open bay, to the shallow's, the **JVX** might be the right boat for you.



16JVX • 18JVX • 20JVX Center Console • Side Console



NMMA
CERTIFIED ✓
using **ABYC** standards



YAMAHA

Photo: 18JVX powered by: YAMAHA F70



JVX-CC Series • Key Features

Configure your **JVX** model online at www.carolinaskiff.com/builder. Get a fast and free quote for the Carolina Skiff model that's perfect for you. Locate a Dealer near you, or read the experiences of other Carolina Skiff owners. All of this and more at www.carolinaskiff.com.



Front Deck w/Lock-able starboard lids & Side steps.
*optional base plate for bass seat



Rear Deck w/ lock-able starboard lids
*optional base plate for bass seat



Cock pit seating /Stainless Steel Cooler Frame
*adjustable backrest/ removable 70qrt cooler



Console w/locking door
*large area for flush mount electronics: up to 10" screen
*not available in JVX 16




Patented Bow Splash Guards
*molded in splash guards to help keep you dry.
No more bow over spray with splash guards.



Cooler Frame Cargo NET
Net placement keeps cooler secure with an added area of storage for extra items.

JVX-Specifications, Features & Options

Model: 16JVX Center Console



Front Deck w/non skid

12V trolling motor plug
lock-able starboard lids

Console

binnacle controls w/harness
full instrumentation
lock-able access door
13" stainless steel steering wheel
tilt helm
quick disconnect windshield
stainless steel grab rail
marine horn
3 stage rod holders (2)
console cushion set

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

12 gallon bait well
lock-able starboard lids
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform
smart tabs SX9510-40


Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (stainless)

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
color canvas top
canvas bimini top

Model: 18JVX Center Console



Front Deck w/non skid

12V trolling motor plug
lock-able starboard lids

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

12 gallon bait well
lock-able starboard lids
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform
smart tabs SX9510-40

Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (stainless)

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
color canvas top
canvas bimini top

SPECIFICATIONS 16 JVX

LOA	15' ft 10" in.
BEAM	78" in
GUNNEL HEIGHT	19" in
BOAT WEIGHT	973 Lbs
FUEL CAPACITY	13 gallon
TRANSOM SIZE	15"/20"/25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	1468 Lbs
MAXIMUM PERSON	6 or 846 Lbs
MAXIMUM HP	60 HP

SPECIFICATIONS 18 JVX

LOA	17' ft 9" in.
BEAM	78" in
GUNNEL HEIGHT	19" in
BOAT WEIGHT	1103 Lbs
FUEL CAPACITY	19 gallon
TRANSOM SIZE	15"/20"/25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	1652 Lbs
MAXIMUM PERSON	7 or 987 Lbs
MAXIMUM HP	75 HP

*Draft: Static Float/Boat Only


BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla

JVX-Specifications, Features & Options

Model: 20JVX Center Console



SPECIFICATIONS	20 JVX
LOA	20' ft
BEAM	78" in
GUNNEL HEIGHT	19" in
BOAT WEIGHT	1230 Lbs
FUEL CAPACITY	19 gallon
TRANSOM SIZE	15"/20"/25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	1836 Lbs
MAXIMUM PERSON	8 or 1128 Lbs
MAXIMUM HP	90 HP

Front Deck w/non skid

12V trolling plug
lock-able starboard lids

Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

12 gallon bait well
lock-able starboard lids

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
750 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform
smart tabs SX9510-60

Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (stainless)

Top Options

console T-top w/docking lights & bag
CS electronics box for T-top
color canvas top
canvas bimini top



*Draft: Static Float/Boat Only

BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla



Carolina Skiff LLC reserves the right to discontinue or change product without notice. Some product accessories seen in photos may not be offered by Carolina Skiff LLC.

JVX SC-Series

Configure your **JVX** model online at www.carolinaskiff.com/builder. Get a fast and free quote for the Carolina Skiff model that's perfect for you. Locate a Dealer near you, or read the experiences of other Carolina Skiff owners. All of this and more at www.carolinaskiff.com.




Front Deck w/Lock-able starboard lids
12V Trolling motor plug * Bass seat base plate



Side Console w/stainless steel steering wheel
Full instrumentation & console bait-well



Cock pit seating /2 fold down bass seats
w/ adjustable driver seat



Rear Deck w/non skid & lockable starboard lids
*12 gallon bait well w/lockable lid
* bass seat base plate




Patented Bow Splash Guards
*molded in splash guards to help keep you dry.
No more bow over spray with splash guards.



NMMA
CERTIFIED
using ABYC standards

JVX-Side Console Features & Options

Model: 16JVX Side Console



Short Front Deck w/non skid

2- lock-able storage hatches
12V trolling motor plug

JVX Side Console

side controls w/wiring harness
console cushion seat
full instrumentation panel
control cables
steering cables
tilt helm w/stainless steel steering wheel
marine horn
console bait well

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

12 gallon bait well
lock-able storage hatches
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform


Upgrade Options

power grip SS steering wheel
4" stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (composite or Stainless)

Top Options

canvas bimini top

Model: 18JVX Side Console



Short Front Deck w/non skid

2- lock-able storage hatches
12V trolling motor plug

JVX Side Console

side controls w/wiring harness
console cushion seat
full instrumentation panel
control cables
steering cables
tilt helm w/stainless steel steering wheel
marine horn
console bait well

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

12 gallon bait well
lock-able storage hatches
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform

Upgrade Options

power grip SS steering wheel
4" stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (composite or Stainless)

Top Options

canvas bimini top

SPECIFICATIONS 16 JVX

LOA 15' ft 10" in.

BEAM 78" in

GUNNEL HEIGHT 19" in

BOAT WEIGHT 973 Lbs

FUEL CAPACITY 13 gallon

TRANSOM SIZE 15"/20"/25" in

*DRAFT (approx) 4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT 1468 Lbs

MAXIMUM PERSON 6 or 846 Lbs

MAXIMUM HP 60 HP

SPECIFICATIONS 18 JVX

LOA 17' ft 9" in.

BEAM 78" in

GUNNEL HEIGHT 19" in

BOAT WEIGHT 1103 Lbs

FUEL CAPACITY 19 gallon

TRANSOM SIZE 15"/20"/25" in

*DRAFT (approx) 4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT 1652 Lbs

MAXIMUM PERSON 7 or 987 Lbs

MAXIMUM HP 75 HP

*Draft: Static Float/Boat Only

BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull




Carolina Skiif LLC reserves the right to discontinue or change product without notice. Some product accessories seen in photos may not be offered by Carolina Skiif LLC.

Configure your **JVX** model online at www.carolinaskiff.com/builder. Get a fast and free quote for the Carolina Skiff model that's perfect for you. Locate a Dealer near you, or read the experiences of other Carolina Skiff owners.

JVX-Series

Model: 20JVX Side Console



SPECIFICATIONS	20 JVX
LOA	20' ft
BEAM	78" in
GUNNEL HEIGHT	19" in
BOAT WEIGHT	1230 Lbs
FUEL CAPACITY	19 gallon
TRANSOM SIZE	15"/20"/25" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	1836 Lbs
MAXIMUM PERSON	8 or 1128 Lbs
MAXIMUM HP	90 HP

Short Front Deck w/non skid

2- lock-able storage hatches
12V trolling motor plug

JVX Side Console

side controls w/wiring harness
console cushion seat
full instrumentation panel
control cables
steering cables
tilt helm w/stainless steel steering wheel
marine horn
console bait well

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

12 gallon bait well
lock-able storage hatches
fuel water separator

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
750 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform

Upgrade Options

power grip SS steering wheel
4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
velcro rod savers (2 sets)
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (composite or Stainless)

Top Options

canvas bimini top



Carolina Skiff boats are extremely stable, durable and affordable boats. You'll find peace of mind knowing you are in a virtually unsinkable boat. Building one of the best boats for a great price has always been our goal.

JV-Series

The **JV-Series** is a great little fishing/run around boat, pure and simple. **The JV-Series** are as stable as they are easy to handle. And with their 100% composite wood free construction, these boats will be around for many years to come.

The **JV-Series** are rigged in either a Center Console or Tiller Handle. So depending on your preference, you can have a Center Console or a Tiller Handle. The **JV** is a quality built boat, using 100% composite material, which means no wood and no rot. The modified shallow Vee is designed to soften the ride and help keep you dry.



JV15CC • JV17CC / JV13TH • JV15TH • JV17TH Center Console • Tiller Handle



NMMA
CERTIFIED
meeting ABYC standards




YAMAHA

Photo: JV17CC powered by: YAMAHA F40

JV-CC Series Specifications, Features & Options

Model: JV 15 Center Console



Short Front Deck w/non skid

2- lock-able storage hatches

Console

binnacle controls w/wiring harness
full instrumentation panel
locking access door
console cushion seat
steering cables
tilt helm w/stainless steel steering wheel
quick disconnect windshield
stainless steel grab rail
marine horn

Cockpit Seating/Rear Deck w/non Skid

lock-able storage hatches
cushion bench cockpit seat
live well under bench seat

More Features

(1) bow eye
(2) stern eye
(2) 11" extension poles
(2) swivel padded seats
(2) swivel seat base plate
(4) 11x19 hatch cover
12V trolling motor plug
battery tray
500 GPH bilge pump
6" stainless steel cleats
aerator pump
LED bow and stern light
heavy duty rubrail
speckled interior finish
premium gel coat
(2) 3 stage rod holder
smart tabs SX9510-30

Upgrade Options

power grip stainless steel steering wheel
4" stainless steel side rail
24V trolling motor panel
12V/24V trolling motor panel w/tilt trim
velcro rod savers (2 sets)
maxi flow recirculating system

Tops

Bimini

SPECIFICATIONS JV15CC

LOA	14' ft 8" in.
BEAM	64" in
GUNNEL HEIGHT	14.5" in
BOAT WEIGHT	517 Lbs
FUEL CAPACITY	6.5 gallon
TRANSOM SIZE	15"/20" in
*DRAFT (approx)	3" in


USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	870 Lbs
MAXIMUM PERSON	3 or 423 Lbs
MAXIMUM HP	30 HP

Optional Top Colors

Black / Red
Royal Blue / Evening Sky
Charcoal Gray

Model: JV 17 Center Console



Short Front Deck w/non skid

2- lock-able storage hatches

Console

binnacle controls w/wiring harness
full instrumentation panel
locking access door
console cushion seat
steering cables
tilt helm w/stainless steel steering wheel
quick disconnect windshield
stainless steel grab rail
marine horn

Cockpit Seating/Rear Deck w/non Skid

lock-able storage hatches
cushion bench cockpit seat
live well under bench seat

More Features

(1) bow eye
(2) stern eye
(2) 11" extension poles
(2) swivel padded seats
(2) swivel seat base plate
(4) 11x19 hatch cover
12V trolling motor plug
battery tray
500 GPH bilge pump
6" stainless steel cleats
aerator pump
LED bow and stern light
heavy duty rubrail
speckled interior finish
premium gel coat
(2) 3 stage rod holder
smart tabs SX9510-30

Upgrade Options

power grip stainless steel steering wheel
4" stainless steel side rail
24V trolling motor panel
12V/24V trolling motor panel w/tilt trim
velcro rod savers (2 sets)
maxi flow recirculating system

Tops

Bimini

SPECIFICATIONS JV17CC

LOA	16' ft 8" in.
BEAM	64" in
GUNNEL HEIGHT	14.5" in
BOAT WEIGHT	750 Lbs
FUEL CAPACITY	6.5 gallon
TRANSOM SIZE	15"/20" in
*DRAFT (approx)	3" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	980 Lbs
MAXIMUM PERSON	4 or 564 Lbs
MAXIMUM HP	40 HP

Optional Top Colors

Black / Red
Royal Blue / Evening Sky
Charcoal Gray

BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla



*Draft: Static Float/Boat Only

JV-TH Series Specifications, Features & Options



Photo: JV15 powered by: YAMAHA Tiller F20

Model: JV 13TH • JV 15TH • JV 17TH

SPECIFICATIONS	JV13TH	JV15TH	JV17TH
LOA	12' ft 8" in.	14' ft 8" in.	16' ft 8" in.
BEAM	64" in	64" in	64" in
GUNNEL HEIGHT	14.5" in	14.5" in	14.5" in
BOAT WEIGHT	413 Lbs	517 Lbs	603 Lbs
FUEL CAPACITY	6 gallon	6 gallon	6 gallon
TRANSOM SIZE	15"/20" in	15"/20" in	15"/20" in
*DRAFT (approx)	3" in	3" in	3" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	750 Lbs	870 Lbs	980 Lbs
MAXIMUM PERSON	2 or 350 Lbs	3 or 423 Lbs	4 or 564 Lbs
MAXIMUM HP	25 HP	30 HP	40 HP

*Draft: Static Float/Boat Only

BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla

Tiller Handle

2- bench seats
2- down rigger pad w/non skid
short front deck w/ non skid

More Features

(1) bow eye
(2) stern eye
500 GPH bilge pump
6 gallon fuel tank
(4) 6" stainless steel cleat
battery tray
LED bow light / stern light
cup holder - 4
heavy duty rub rail
speckled interior finish
switch panel w/ 12V power plug
velcro rod savers (2 sets)
smart tabs Sx9510 -30

Tops

bimini top

Optional Top Colors

Black / Red
Royal Blue / Evening Sky
Charcoal Gray



HOW SHALLOW CAN YOU GO?



A mere three inches of water! Carolina Skiff's revolutionary Tunnel Hull design allows the DLX Tunnel Series boats to draft...and more amazingly, plane...in three inches of water, putting you on fish where others can't. The wide beam and twin, raised decks culminate to deliver the ultimate shallow water fishing experience.

SPECIFICATIONS DLX TUNNEL SERIES				
MODEL	178	198	21	24
LOA	17' 2"	19' ft	20' 10"	23' 10"
BEAM	93"	93" in	93"	93"
GUNNEL HEIGHT	18"	18" in	18"	18"
BOAT Wt. (approx)	1384 Lbs	1590 Lbs	1687 Lbs	1927 Lbs
FUEL CAPACITY	30 gallon	30 gallon	30 gallon	30 gallon
TRANSOM SIZE	20" in	20" in	20"	20"
*DRAFT (approx)	4"	4" in	4" in	4" in

USCG MAXIMUM CAPACITY RATING				
MAXIMUM WEIGHT	1800 Lbs	1970 Lbs	2700 Lbs	3000 Lbs
MAXIMUM PERSON	9 or 1269 Lbs	11 or 1551 Lbs	16 or 2256 Lbs	18 or 2538 Lbs
MAXIMUM HP	90 HP	115 HP	150 HP	150 HP

STANDARD FEATURES & OPTIONS

Short Front Deck w/non skid

2- lock-able storage hatches

Elite Large Console

large area for flush mount electronics
(3) stainless steel cup holders
removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
(6) flush mount console rod holder
locking console door w/LED light
console cushion seat
console seat stainless steel hand rail
console bait well w/LED light/10 gallon

Cockpit Seating

stainless steel cooler frame
70 qt removable cooler

Rear Deck w/non Skid

14 gallon bait well w/LED Light
lock-able storage hatches
fuel water separator
aerator pump

More Features

(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
premium gel coat
swim platform


Upgrade Options

power grip SS steering wheel
4" stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
leaning post w/rod holders & footrest
leaning post backrest only
maxi flow recirculating system
raw water wash down
smart tabs (composite or Stainless)
Oil Tank 2 stroke 115HP and above
Top Options
console T-top w/docking lights & bag
CS electronics box for T-top
canvas top for T-top
fiberglass hard top for T-top
canvas bimini top

BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull

Black	Grey	Red	Cabernet	Yellow	Royal Blue	Carolina Blue	Evening Sky	Sea Foam	French Vanilla



Front Deck w/Lock-able starboard lids & Side steps. *optional trolling motor plug panel




Rear Deck w/ lock-able starboard lids
*14 gallon bait well



Cock pit seating /Stainless Steel Cooler Frame
*adjustable backrest/ removable 70qt cooler



A solid rigid hull is formed by using a foam filled fiberglass stringer system.



A revolutionary tunnel hull design that give the boat the ability to run in approx. 3" inches of water.



Patented Bow Splash Guards

*molded in splash guards to help keep you dry.
No more bow over spray with splash guards.



*Draft: Static Float/Boat Only

J-Series Center Console

J16cc

Configure your **J-Series** Center Console model online at www.carolinaskiff.com/builder. Get a fast and free quote for the Carolina Skiff model that's perfect for you. Locate a Dealer near you, or read the experiences of other Carolina Skiff owners. All of this and more at www.carolinaskiff.com.



Front Deck w/non skid

lock-able starboard lids

Console

removable windshield
marine horn
binnacle controls & wiring harness
13" stainless steel steering wheel
instrumentation panel
flush mount console rod holder
locking console door w/LED light
console cushion seat

Cockpit Seating

bench seat

Rear Deck w/non Skid

lock-able starboard lids

More Features


(1) bow eye
(2) stern eye
(4) stainless steel 6" cleat
500 GPH bilge pump
LED bow and stern nav. light
rigid rub rail w/chrome insert
3 stage rod holder
premium gel coat
swim platform
smart tabs SX9510-30

Upgrade Options

4' stainless steel side rail
front deck swivel seat w/base
rear deck swivel seat w/base
stainless steel bow rail set
stainless steel transom rail set
12v trolling motor plug
24v trolling motor plug
12/24v trolling motor plug panel
maxi flow recirculating system
raw water wash down
console bait well w/LED light
smart tabs (stainless)
6 gallon portable fuel tank
12 gallon portable fuel tank

Top Options

color canvas top
55" canvas bimini top



SPECIFICATIONS J16CC

LOA	15' ft 8" in.
BEAM	64" in
GUNNEL HEIGHT	14.5" in
BOAT WEIGHT	653 Lbs
FUEL CAPACITY	optional
TRANSOM SIZE	15"/20" in
*DRAFT (approx)	4" in

USCG MAXIMUM CAPACITY RATING

MAXIMUM WEIGHT	1015 Lbs
MAXIMUM PERSON	4 or 564 Lbs
MAXIMUM HP	40 HP



BASE HULL COLOR: FRENCH VANILLA

HULL STRIPE COLOR OPTION: Full Side • Full Hull



DLX & J-Series Kit Boats

Custom Design Your Own Boat!


The true freedom of boating begins before a boat even touches the water. Unlike other boat builders, we offer a kit boat with options for you to design your own boat. From the front deck to the rear deck with bait wells, you can layout your very own unique boating machine.

We offer a full array of fiberglass accessories so you can truly design your very custom Carolina Skiff.


Boat Model & Specifications

MODEL	J12	J14	J16	DLX14	DLX16	DLX17	DLX178	DLX19	DLX198	DLX21	DLX24	EXTRA WIDE SERIES		
LOA	11'8"	13'8"	15'8"	13' 10"	15' 10"	16' 10"	17' 2"	18' 10"	19' 0"	20' 10"	23' 10"	23' 10"	24' 10"	27' 1"
BEAM	64"	64"	64"	66.5"	67"	77"	93"	77"	93"	93"	93"	103"	103"	103"
GUNNEL	14"	14"	14"	16"	16"	19"	22"	19"	22"	22"	22"	22"	22"	22"
TRANSOM	Optional transom size (J-Series 15" or 20") (DLX-Series 15", 20" or 25") (DLX-EW 20", 25" or 30")													
MAX HP	25	30	40	40	50	75	90	90	100	115	150	175	200	225
MAX PERSON	2	3	4	5	6	8	9	9	11	16	18	18	20	22
MAX WT. (lbs)	750	890	1015	1015	1195	1515	1800	1710	1970	2700	3000	4000	4500	5000


Center Consoles




Small




Medium




Large



X-Large



Deluxe




Bench Seat

SIZE	A	B
55"	57	14
65"	67	14
80"	82	14
J-Series	55	14


SIZE	A	B	C	D	E	F	G	H	I	J	K
SML	30	21	14	16	6	10	20	•	•	•	•
MED	34	22	30	16	6	10	24	16	15	18	•
LG	38	29	35	22	7	13	26	16	17	22	•
XLG	43	38	47	33	10	13	29	17	20	24	4
DLX	44	32	45	22	7	13	23	20	15	24	23.5

The openings on our consoles are standard. Most of our consoles are available in a slick white finish or a textured finish that matches the inside of the hull.




Island Seat

SIZE	A	B	C	D	E
SM	15	15	15	12	12
MED	25	18	15	17	23
LG	36	18	16	17	33




Storage Seat

SIZE	A	B	C
UN	39	12.5	15.5
65"	66	16	16
80"	82	16	16




Side Seat

SIZE	A	B	C
SML	16	17	14
LG	35	17	14




Charter Seat

SIZE	A	B	C
SML	60	12	15
MED	96	12	15
LG	145	12	15




Universal Livewell

SIZE	A	B	C
18gal.	13	26.5	10




Down Rigger Pad

SIZE	A	B	C
21	17	17	




Front Deck

SIZE	A	B	C
(S)55"	51	34	13
55"	54	52	15
65"	63	53	17
80"	76	53	17
90"	90	60	26
J-Series	52	44.5	15



Short Rear Deck


SIZE	A	B	C	D	E
55"	63	24.5	2	12	8
65"	73	34.5	2	15	9
80"	89	40.5	2	17	10
90"	103	48	4	22	33
J-Series	61	28.5	2	14.5	16



Rear Deck With Livewells

Lids are included. 55" & 65" have 18 gallon live-wells, 80" have 30 gallon live-wells.

SIZE	A	B	C	D	E	F	G
55"	16	18	30	10	36	57	3
65"	25	18	30	10	36	67	5
80"	16	28	28	18	40	83	7
J-Series	21	15	29	10	36	55	4



Universal Console

SIZE	A	B	C	D	E	F	G	H	I	J
"J"	23	16	24	5	7	16	6	19	15	7



BASE HULL COLOR: FRENCH VANILLA
HULL STRIPE COLOR OPTION: Full Side • Full Hull

*Draft: Static Float/Boat Only





Five Year HULL WARRANTY



Carolina Skiff, LLC. warrants the hulls bottom construction against delamination or separation for a period of Five Years, providing that the integrity of the hull and floor hasn't been damaged by improper rigging, user damage or neglect. Carolina Skiff, LLC. does not warrant gel coat imperfections, stress cracks, optional accessories or their installation, rub rail, logos, decals, or bow eyes. For specific details, read the complete Manufacturer Limited Warranty.

MANUFACTURER'S LIMITED WARRANTY

Carolina Skiff, LLC. warrants to the original owner that the boat hull manufactured by Carolina Skiff, LLC. is, at the time of purchase, free from defects in workmanship and will remain free from such defects under normal use after delivery to the original retail purchaser as provided here, within the limitations of this warranty.

Boat hulls are warranted for a period of (60) sixty months. The foregoing Warranty does not apply to:

(1) damage resulting from:

- (a) Misuse, abuse, accident, neglect, negligence, vandalism, fire, riot, war, or Acts of God;
- (b) Structural or other modification or alteration without prior express written authorization by Carolina Skiff, LLC.;
- (c) Repair or attempted repair by unauthorized persons;
- (d) Engine use or load capacities in excess of the maximum recommended by Carolina Skiff, LLC.
- (e) Improper trailering or towing;
- (f) Racing or other competitive use whether for profit, recreation or otherwise.

(2) Gelcoat, finish, stress cracks, optional accessories or their installation, rub rail, bow eyes, lettering and decals, including, but not limited to adhesion, fading or discoloration thereof.

Time limitations specified herein shall run from the date of delivery to the original retail purchaser in the United States of America.

Except as expressly stated herein, Carolina Skiff makes no express or implied warranties or representations and further, Carolina Skiff makes no warranty of merchantability or fitness for any particular purpose. No person is authorized by Carolina Skiff to alter, enlarge or extend express or implied warranties or to alter or amend disclaimers, other than as set forth herein.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

The remedy available under this Limited Warranty is non-cumulative in nature and is limited to repair or replacement, at Carolina Skiff option, of the boat hull which is returned to a location approved by Carolina Skiff, LLC. with transportation charges prepaid, and which Carolina Skiff examination discloses to its satisfaction to be defective. For specific details of Carolina Skiff, LLC.'s obligation, see that section of this warranty.

Carolina Skiff, LLC.'s liability under this Limited Warranty does not extend to loss of time, inconvenience, loss of use of boat (or loss of profit resulting therefrom), injury to property or persons, or any other special, indirect, consequential or incidental damages whatsoever.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusions may not apply to you.

All claims under this Limited Warranty must be submitted in writing to an authorized Carolina Skiff, LLC. Independent Dealer within the warranty period as stated herein and approved by Carolina Skiff, LLC. prior to allowance thereof. If you have any questions concerning this Limited Warranty or the procedure you should follow, please write us at the following address to obtain information:

**Carolina Skiff LLC.
Attention Warranty Department
3231 Fulford Road
Waycross, GA 31503-8705**

Any provision of this Limited Warranty which is prohibited or not enforceable in any jurisdiction shall be, as to such jurisdiction, ineffective to the extent of such prohibition or nonenforceability without invalidating the remaining provisions thereof, and any such prohibition or nonenforceability in any jurisdiction shall not invalidate or render nonenforceable any such provision in any other jurisdiction.

The provisions hereof constitute the exclusive and complete warranty by Carolina Skiff on boat hulls manufactured by it, and is in lieu of all other obligations or liabilities of Carolina Skiff, whether express or implied.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Carolina Skiff LLC reserves the right to discontinue or change product, features, specifications and options without notice.

Products shown in this catalog may be seen with optional or custom accessories not offered by Carolina Skiff LLC.

Materials, specifications, standard features and options may change without notice from the listed information in this catalog to the current product at the Dealership.

For proper performance with a Carolina Skiff boat, Carolina Skiff recommends the engine cavitation plate be 3/4" to 1" below the bottom of the hull. All weight must be distributed evenly for proper performance. Each outboard engine horsepower and boat combination may vary with mounting height and prop selection. Carolina Skiff's require little to no trim for proper performance.

©2014 v2

Carolina Skiff LLC
3231 Fulford Road
Waycross Georgia 31503

1 - 800 - 422 - 7282

www.carolinaskiff.com



**CAROLINA
SKIFF®**

**SEA
CHASER™**
LET THE RIDE DECIDE.

Fun Chaser™

Sea Skiff
BY CAROLINA SKIFF

